



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

: **Confirmation No. 8716**

Daiji NAKA et al.

: Docket No. 2001-1797A

Serial No. 10/000,096

: Group Art Unit 1644

Filed December 4, 2001

: Examiner Not Yet Assigned

SPECIFIC ANTIBODY DIRECTED TO
ACTIVE HEPATOCYTE GROWTH FACTOR
ACTIVATOR AND METHOD FOR USING
THE SAME

THORIZED
CY IN THE
POSIT

RECEIVED

APR 10 2002

FOH CENTER 2900

SUBMISSION OF SUBSTITUTE DRAWINGS

Assistant Commissioner for Patents,
Washington, D.C. 20231

Sir:

This is responsive to the Notice To File Corrected Application Papers dated March 29,
2002.

The Notice requires substitute drawings in compliance with 37 C.F.R. 1.84.

Submitted herewith are substitute drawings in compliance with 37 C.F.R. 1.84.

A copy of the Notice is enclosed.

Respectfully submitted,

Daiji NAKA et al.

Registration No. 8716
Attorney for Applicants

WMC/gtn
Washington, D.C. 20006-1027
Telephone (202) 721-8200
Facsimile (202) 721-8250
April 10, 2002



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, DC 20503
www.uspto.gov

APPLICATION NUMBER	FILING RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/000,096	12/04/2001	Daip Naka	2001-1797A

000513

WENDEROTH, LIND & PONACK, L.L.P.
2033 K STREET N. W.
SUITE 800
WASHINGTON, DC 20006-1021

CONFIRMATION NO. 8716

FORMALITIES LETTER



OC000000007749987

Date Mailed: 03/29/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

RECEIVED

APR 15 2002

TECH CENTER 1600/290

A copy of this notice MUST be returned with the reply.

Customer Service Center
Initial Patent Examination Division (703) 308-1202

APR

RC14